


Wiremold **2400D Divided Device Box Fitting**

Part No. 2444D-2AFW



Divided, two-gang, labor saving, over-the-raceway device box. Allows both power and low voltage at a single point-of-use. Accepts 5507 Series Faceplates, Ortronics TracJack and Series II Modules (requires S2-EPL Plate), Pass and Seymour Activate Series Inserts (requires CM-EPLA Plate), and Wiremold Open System Communication Modules (requires CM-EPLA Plate).

Features & Benefits

Divided, two-gang, labor saving, over-the-raceway device box. Allows both power and low voltage at a single point-of-use. Accepts 5507 Series Faceplates, Ortronics TracJack and Series II Modules (requires S2-EPL Plate), Pass and Seymour Activate Series Inserts (requires CM-EPLA Plate), and Wiremold Open System Communication Modules (requires CM-EPLA Plate).

Specifications

Wiremold 786776132472	Replaced by Part Number Country Of Origin	C2444D-2AFW United States cULus Listed Raceway:
786776132472	Country Of Origin	cULus Listed Raceway:
Residential/Commercial	Standard	FileE4376 Guide RJBT. Fittings: File E41751 Guide RJPR. Base & Blank Cover: Meets Article 386 of NEC. Meets Section 12-600 of CEC.
Raceway		
4.75 in	Product Height US	2.75 in
4.75 in		
/	4.75 in	4.75 in Product Height US

Additional Information

RoHS Conformant	Yes	Product Environmental Profile	Yes		
Technical Information					
Voltage	600.0 V				